



North Pacific Yachts 38' Sedan Specifications

LOA	41' 6"
Beam	12' 8"
Draft	4'

Construction:

Hull and superstructure are hand laid, molded fiberglass
The hull is solid fiberglass
Solid keel
Vinylester resin used in the outer layers
Nida-core used on all decks
Hollow stringers
Non-skid fiberglass decks
Fully integrated swimming platform
International paints micron CSC anti-fouling
International paints epoxy barrier coating below water line

Engine Room, Propulsion and Fresh Water System:

Cummins 250QSB 6.7L engine with 160 amp alternator
Engine room sound insulation
Aluminum non-skid plate floors
Engine room light (4)
Engine room blower
Fiberglass fuel tanks (2 X 175 gallons)
Stainless steel shaft
Dripless shaft seal
Precision 4 blade propeller
Hynautic 2 station hydraulic steering
Exhaust muffler
Sea cock and strainer on engine raw water intake
Dual Racor fuel filter
Automatic bilge pump (3)
Manual bilge pump (1)
Holding tank (40 GAL) with macerator pump
Fiberglass water tanks (2 X 100 gallons)
Fresh water pump - Variable speed
11 gallon water heater
Seafire automatic fire extinguishing system

Electrical:

Northern Light generator with sound shield and water/gas separator (size depends on climate/delivery option)
2800W Magnum MS2812 inverter/battery charger

12v/200AMP hour AGM battery in battery box (4) - (One engine starter, 3 house)
Master control panels (AC/DC circuit breakers - Bluesea)
Color coded and bonded electrical system
Tinned wiring, numbered and labeled
120V AC outlets (14)
IMTRA LED 12V throughout interior
LED accent rope lighting throughout
50amp 125V shore power receptacle with Smart Plug

Interior:

Teak and holly flooring throughout
Teak paneling and cabinetry throughout - satin poly urethane finish
Bookmatched cabinetry
Routed fiddles and trim, many steam bent
All drawers and lockers with push button locks and full extension roller bearing slides
Curtains on all windows
Screens on all sliding windows
Soft vinyl headliners
Laminated safety glass on sliding windows
Espar Airtronic 5 heater or Air-conditioning depending on climate/delivery option

Salon, Dinette and Galley:

Ceiling lights (9)
A/C outlet (4)
Reading lights (2)
H shaped dinette with teak hi-low table - Alternate salon layouts available
Storage under dinette seats
Settee that converts into a bed with storage below
Corian equivalent countertop
Double SS sink in galley
Faucet with pullout spout
Princess electric glass cooktop 3 burner w/ oven (gas available)
Novakool RFU9000 fridge/freezer (9 cu.ft)
Teak storage cabinet above stove
Drawers in galley (5)
Cabinets in galley (3)
Exhaust fan above the stove
Hatch for storage on galley countertop (1)

Helm:

Raised dash stb side
D/C outlet (1)
Aluminum locking, sliding door (1)
AC & DC electrical panels (Blue Sea)
Leather helm seat
Cummins DTS electronic engine control
Windlass control
Bow thruster control
Tank tender - fresh water, and fuel gauge
Horn control
Teak steering wheel
Windshield wiper (3)

Windshield washer (3)

Head:

Ceiling light (2)

A/C outlet (1)

Tecma fresh water flushing toilet with tank watch

Mirror

Stainless steel sink and chrome faucet

Cabinet (2)

Opening, screened porthole window (1)

Tank watch for holding tank

Separate Shower Stall:

Ceiling light (1)

All fiberglass

Shower control

Drains into shower sump pump

Exhaust fan

Opening, screened porthole (1)

Master Stateroom (two stateroom layout available, please inquire):

Halogen light (2)

A/C outlet (2)

Large island bed

Reading light (2)

Mirror

Drawer under bed (4)

Hanging locker (1)

Bookshelves along each wall or cabinets on each wall or half bookshelves & half cabinets on each side

Opening, screened porthole window (2)

Opening, screened overhead hatch (1)

Exterior Fittings and Equipment:

Stainless steel railing and stanchions around all edges

Stainless steel window frames

FRP no-skid deck on all deck surfaces

SS mooring cleats (8)

SS fuel, water and waste tank deck fittings

SS portholes

Tempered glass windows

Teak caprail with Seatol

Cockpit:

Light (1)

Hatch to access lazarette - gas assisted

Stainless steel ladder leading to fly bridge on port side

Transom door leading to swim grid

Aluminum sliding door to access salon

Fresh water hot/cold shower

Swim ladder

Flybridge:

Helm seat
Stainless steel steering wheel
Engine gauges
Cummins DTS electronic single lever engine control
Windlass control
Bow thruster control
Radar arch hinged (hardtop available)
Radar arch light (2) - Courtesy light (2)
Exterior DC outlet (1) - AC outlet (1)
Anchor light - Navigation lights
Stainless steel flag base
Electric horn
L seating and bench seat both with cushions and storage
Storage locker/seat (2)
Nick Jackson LP650 davit
Canvas for helm seat, instrument panel and bench seats

Walk Around:

Lights (2)
Sea water washdown hose connector
Windlass, Maxwell HRC10-8
SS anchor roller
280 ft of galvanized chain
45 LBS C.Q.R. style anchor
Bulwark door on each side of walk around

Other Equipment:

Vetus 75kgf (7.3 hp) 12V bow thruster
Emergency tiller
Zincs (4)
Pre-wire for one speaker in each corner of salon and DC power to the middle panel above the helm - More pre-wiring can be added
Fenders, lines, required safety equipment

Garmin Equipment:

A full set of Garmin electronics is included with the NP38. The system includes 2 multifunction displays with chartplotter, fishfinder and radar functions. Autopilot and VHF radios are also included. We don't list the specific equipment here because electronics change so quickly, so please contact us for details.